



GENERAL NOTE:
 ALL SITE FIXINGS
 TO STRUCTURE AND
 CONTINUOUS MASTIC
 BEAD REQUIRED TO
 ALL INTERFACES
 (BY INSTALLERS)

SOUND INSULATION

SS-600 ACOUSTIC LOUVRE
 SILL INTO CLADDING

PERFORATED INNER
 ACOUSTIC BLADE

BIRD MESH

100x50x2mm
 ANGLE
 FIXING CLEAT

TEX SCREW
 (2-PER CLEAT)
 (BY INSTALLER).

LOUVRE TO FIXING
 CLEAT-TEX SCREW

SILL FLASHING
 (BY INSTALLER)

PACKERS

C-GIRT (300 X 100 X 31MM)

620 ACOUSTIC DEPTH

Rev	Description	Date
 commercial louvres & solar shading		
3/109 Ledger Road BEVERLEY SA 5009 ABN 20 143 060 360 Telephone (08) 8243 0011 Facsimile (08) 8243 0711		
Project DESIGN STAGE 1		
Title ACOUSTIC LOUVRE SILL INTO CLADDING SS - 600		
Drawn	DW	Checked
Date	13/05/2011	Scale
Drawing No.		Revision No. REV A

Element Control Systems
 © Copyright